

# BELONGIA CONSULTANTS, INC.

April 15, 2009

2145 W. Concord Circle  
Broken Arrow, OK 74012  
(918) 251-5500 Fax: (918) 251-5708

HRAOK, Inc.  
1913 West Tacoma, Suite A  
Broken Arrow, Oklahoma 74012

Attention: Mr. Barrick Rosenbaum, P.E

Re: Addendum Letter  
Proposed Elm Place Extension  
Broken Arrow, Oklahoma  
Project No. 1085067

Dear Mr. Rosenbaum :

Belongia Consultants, Inc. performed a subsurface exploration for the above project and presented the results of that exploration in Belongia Consultants report dated August 12, 2008. In that report we presented an asphalt pavement section for the above project. We understand it is desired to consider a concrete section as an alternate. A comparable concrete section is presented below.

## ARTERIAL STREET PAVING SECTION

8.0" 3500 psi Portland Cement Concrete  
8.0" Compacted Subgrade (PI <10)

This section satisfies the City of Broken Arrow requirements for Arterial Streets provided the 8 inch compacted subgrade consists of properly modified site soils or an approved select fill.

This letter has been prepared for the exclusive use of our client for specific application to the project discussed, and has been prepared in accordance with generally accepted geotechnical engineering practices. No warranties, either expressed or implied are intended or made. All other comments and recommendations presented in Belongia Consultants, Inc. report dated August 12, 2008, prepared for the project, report remain applicable.


If you have any questions regarding the contents of this letter, please contact us.

Sincerely,

**BELONGIA CONSULTANTS INC.**



David L. Belongia, P.E.  
Oklahoma No. 12908



Copies to: Addressee (2)

4/15/09